ISDA-FOREST SERVICE INDEX G-5	CORNER RECORD (SEARCH) Tract or Cor. (Ref. FSM 7151.4) Survey No No
r <u>5N</u> R. <u>38E</u> Merid. <u>Will</u>	R.D. WZ County UMATILLA
CORNER DIAGRAM	Description of corner evidence found:
T5N R38E	A diligent search was made and no evidence of the original post or BTs could be found.
1 1	
S7 S8	DESCRIBE BEARING TREES OR OTHER OFFICIAL ACCESSORIES FOUND
Ţ	
PHOTO IDENTIFICATION DATA	
Photo No Filed At.	
Object Ident	DESCRIBE CORNER LOCATION RELATIVE TO NEAR-BY FEATURES, ALSO HOW TO REACH CORN
Ident. By	- -
PLANE COORDINATE POSITION DATA	
State Zone	_
X	-
Estob. By	_ _

CORNER RECORD (PERPETUATION) - Description of monument and accessories I established to perpetuate the eriainal location of this corner: CROWN ZELLERS, At proportioned point set 1"x30" Galvanized Pipe with 3" brass cap stamped: T5N **R38E** Set pipe 24" in ground. From which: **S8** A Fir 5½" dia. bears N49½°E 85.1 ft., scribed: 1/4 S8 BT. A Lodge Pole Pine 6" dia. bears N79°W 64.0 ft., scribed: 1/4 S7 BT. Attached 54-3 and 54-4 signs to both BTs. Attached brass washers stamped LS 1294 to foot blaze of both BTs. Painted blazes and 6" band around both BTs. red. Gertified Cor. Record Prepared ? (Vos) No Filed At: Date REMARKS

Index File No. T. R. M. Tract or Sur No. Cor.

38E